

**WADE
CONCRETE
PRODUCTS**

23,000L OVAL CONCRETE WATER TANK

**PREMIUM CONCRETE
WATER STORAGE**



**23,000L
CAPACITY**



**NZ
MADE**



**60MPA
CONCRETE**



**NO TAIL
PILOT
REQUIRED**



**ABOVE OR
BELOW
GROUND**



**50 YEAR
DESIGN
LIFE**

ENGINEERED FOR LIFE. BUILD TO PERFORM.

Wade Concrete oval water tanks are manufactured using premium 60MPa Firth certified concrete and engineered for superior strength, durability and longevity. Designed for rural, residential, commercial and industrial water storage applications.



MAXIMUM STRENGTH

60MPa Firth certified concrete for exceptional durability and reliability.



EASY TRANSPORT

No taxi pilot require. Easy to transport and deliver to tight sites.



LONG SERVICE LIFE

Built to last with excellent resistance to corrosion and weathering.



FAST INSTALLATION

Lift straight from the truck onto a prepared base and connect.



LOW MAINTENANCE

Smooth internal finish resists build-up and makes cleaning easy.



THERMAL STABILITY

Concrete's natural mass helps keep water cooler in summer & warmer in winter.




NZ MANUFACTURED

Proudly manufactured in New Zealand to the highest industry standards.



MASSIVE CAPACITY

Generous 23,000 litres storage for a wide range of applications.



**WADE
CONCRETE
PRODUCTS**



22 Edward Street
Dargaville 0310



09 439 8151



admin@wadeconcrete.co.nz



www.wadeconcrete.co.nz

FEATURES



60MPa CONCRETE

High-strength Firth certified concrete for maximum durability.



ANTI-FLOTATION FEET

Optional extra for high water table or buoyant conditions.



40MM BRASS OUTLET

Female thread fitting positioned 230mm from bottom of tank.



TRAFFICABLE LID OPTION

A trafficable lid option can be supplied if required.




100MM PVC LID PORTS

2 x 100mm PVC ports with cap for easy access and ventilation.



CUSTOM PLUMBING

Additional inlets / outlets can be installed to suit your requirements.



**WADE
CONCRETE
PRODUCTS**

📍 22 Edward Street
Dargaville 0310
☎ 09 439 8151
✉ admin@wadeconcrete.co.nz
🌐 www.wadeconcrete.co.nz

WARRANTY & QUALITY ASSURANCE

Wade Concrete products are warranted to the original purchaser against defects caused by poor workmanship or non-compliance with industry standards.



WHAT'S COVERED

- Manufacturing defects
- Poor workmanship
- Non-compliance with industry standards
- Repair or replacement at our discretion



WHAT'S REQUIRED

- Correct site preparation as per instructions
- Proper installation
- Tank placed directly on prepared base
- Overflow pipe installed away from tank base




WHAT'S NOT COVERED

- Incorrect site preparation
- Ground movement
- Vehicle loading on lid
- Relocation of tank
- Hydraulic lifting / flotation
- Natural disasters
- Damage to plumbing connections



For full warranty terms and conditions, please contact Wade Concrete or visit our website.



**WADE
CONCRETE
PRODUCTS**



22 Edward Street
Dargaville 0310



09 439 8151



admin@wadeconcrete.co.nz



www.wadeconcrete.co.nz

INSTALLATION REQUIREMENTS

①

EXCAVATE & PREPARE

Excavate down to firm virgin ground. Remove all rock, stumps, roots and debris. Level the area.

②

LEVEL AREA

Prepare a level area 4.4m (L) x 3.2m (W). Ensure the base is square and true.

③

HARD FILL LAYER

Compact 100mm of hard fill (blue/brown stone 30–40mm).

④

FINE LAYER

Add 50mm of finer material (PAP7/Scoria) and screed level.

⑤

PLACE TANK


Lift the tank directly from the truck onto the prepared base. Do not drag.

IMPORTANT NOTES

- Sand should only be used if it can be contained and will not wash out.
- The tank must be placed directly onto the prepared base on arrival.
- Total operating weight when full: Approx. 32 tonnes.



Correct preparation ensures even weight distribution and long-term performance of your tank.



**WADE
CONCRETE
PRODUCTS**



22 Edward Street
Dargaville 0310



09 439 8151




admin@wadeconcrete.co.nz



www.wadeconcrete.co.nz


TECHNICAL SPECIFICATIONS



SPECIFICATIONS

Capacity	23,000 Litres
Overall Height	2.700 m
Wall Height	2.630 m
Length	4.250 m
Width	3.040 m
Weight	9.5 Tonnes
Concrete Strength	60MPa (Firth Certified)

Outlet	1 x 40mm Female Thread Brass Fitting, 230mm from bottom of tank & 130mm right of centre
Knockout Inlet/Outlet	2.370m from bottom (centrally located on long ends)
Lid Ports	2 x 100mm PVC Ports with cap in lid (centrally on long side, 2.125m from ends & 150mm from ring edge)
Centre Pole	1 x 150mm
Anti-Flotation Feet	Optional Extra (Each end)
Trafficable Lid	Available



**WADE
CONCRETE
PRODUCTS**

22 Edward Street
 Dargaville 0310
 09 439 8151
 admin@wadeconcrete.co.nz
 www.wadeconcrete.co.nz




**BUILT IN NORTHLAND
BUILT FOR NEW ZEALAND**



ABOUT WADE CONCRETE


Wade Concrete has been part of Dargaville since the 1970s. For decades, the business has made the concrete products people across Northland rely on every day, from water tanks and troughs to septic tanks and retaining walls.

Wade makes strong concrete products, gives honest advice and helps customers find a solution that suits the job.



**WADE
CONCRETE
PRODUCTS**

📍 22 Edward Street
Dargaville 0310
☎ 09 439 8151
✉ admin@wadeconcrete.co.nz
🌐 www.wadeconcrete.co.nz



**WADE
CONCRETE
PRODUCTS**

QUALITY CONCRETE PRODUCTS

**BUILT STRONG.
BUILT TO LAST.**



**SPEAK TO US ABOUT
YOUR NEXT PROJECT**

 22 Edward Street
Dargaville 0310
 09 439 8151
 admin@wadeconcrete.co.nz
 www.wadeconcrete.co.nz

APPLICATIONS

RURAL PROPERTIES

LIFESTYLE BLOCKS

DAIRY SHEDS

FIRE WATER STORAGE


IRRIGATION

INDUSTRIAL

COMMERCIAL BUILDINGS


FARM SUPPLY

RAINWATER HARVESTING



**WADE
CONCRETE
PRODUCTS**

 22 Edward Street
Dargaville 0310
 09 439 8151
 admin@wadeconcrete.co.nz
 www.wadeconcrete.co.nz



**WADE
CONCRETE
PRODUCTS**

23,000L OVAL CONCRETE WATER TANK

**PREMIUM CONCRETE
WATER STORAGE**



**23,000L
CAPACITY**



**NZ
MADE**



**60MPA
CONCRETE**



**NO TAIL
PILOT
REQUIRED**



**ABOVE OR
BELOW
GROUND**



**50 YEAR
DESIGN
LIFE**

**BUILT STRONG.
BUILT TO LAST.**

 22 Edward Street
Dargaville 0310
 09 439 8151
 admin@wadeconcrete.co.nz
 www.wadeconcrete.co.nz